























## 5 Conclusion

The sample questionnaire is prepared based on proposed model and then the response is taken from 250-industry person to evaluate it. The average response is calculated and is found that the proposed architecture is very suitable for the integrating business activities in SMEs

Proposed hypothesis is also accepted at 5 percent level of significance and it can be concluded that the sample data indicates that proposed integrated SOA-Cloud Model is more efficient in terms of cost and adaptability than traditional ERP systems. Further study conducted by the research firm Gartner in the year 2008, adoption of hosted applications reduces cost of ownership by about 30% by lowering the software support, labor and hardware costs. This study further supports the papers findings.

In a nutshell, we conclude that proposed SOA-Cloud integrated model is ideal for medium and small sized enterprises both in terms of cost benefits. However, for enterprises the most important factor to adopt Cloud Computing will stay cost till today but security is still not the added value of Cloud Computing for enterprises despite its benefits.

### References:

- [1] Ashish Seth, Kirti Seth, A.R. Singla. (2010). "Aspect of Service Oriented Computing". JCT Journal of computing, USA.
- [2] Brown, L. D., Hua, H., and Gao, C. (2003). "A widget framework for augmented interaction" in SCAPE. In *Proceedings of the 16th Annual ACM Symposium on User Interface Software and Technology* (Vancouver, Canada, November 02 - 05, 2003). UIST '03. ACM, New York, NY, 1-10  
<http://doi.acm.org/10.1145/964696.964697>.
- [3] Craig M. Parker, Tanya Castleman. (2007). "New directions for research on SME-eBusiness: insights from an analysis of journal articles from 2003 to 2006", *Journal of Information Systems and Small Business*, vol. 1, no. 1-2, pp. 21-40.
- [4] Forman, G. (2003). "An extensive empirical study of feature selection metrics for text classification". *J. Mach. Learn. Res.* 3 (Mar. 2003), 1289-1305.  
<http://www.iste.org/learn/publications/journals/jct-abstracts.aspx>
- [5] Jianqiang Hu, FengE Luo, Jun Li, Xin Tong, Guiping Liao,( 2008). "SOA-based Enterprise Service Bus". *Proceedings of the 2008 International Symposium on Electronic Commerce and Security – ISECS*, Pg 536-539.
- [6] OASIS. (2006). (Reference Model for Service Oriented Architecture 1.0"
- [7] Pascal B, Fernand Feltz, Nicolas Biri, Philippe Pinheiro (2009) "Implementing a Service-Oriented Architecture for Small and Medium Organisations"
- [8] Paderborn, (2003) "A UML-Profile for Service-Oriented Architectures"
- [9] Seth Ashish, Himanshu Agarwal, A. R. Singla "Designing a SOA Based Model" *ACM SIGSOFT Software Engineering Notes*, Volume 36 Issue 5, September 2011 ACM New York, NY, USA, pp 5-12
- [10] Spector, A. Z. (1989). "Achieving application requirements. In *Distributed Systems*", S. Mullender, Ed. ACM Press Frontier Series. ACM, New York, NY, 19-33
- [11] Van Latum, F. (1998). "Adopting GQM based measurement in an industrial environment". *IEEE Software* 15(1), pp 78–86
- [12] Winter, R., Fischer, R. *Essential Layers*. (2006). "Artifacts and Dependencies of Enterprise Architecture". *EDOC Workshop on Trends in Enterprise Architecture Research*
- [13] Yu, Y. T. and Lau, M. F. (2006). "A comparison of MC/DC, MUMCUT and several other coverage criteria for logical decisions". *J. Syst. Softw.* 79, 5 (May. 2006), 577-590.  
<http://dx.doi.org/10.1016/j.jss.2005.05.030>.
- [14] <http://softwarestrategiesblog.com/A> Passion for Research, *Focusing on the intersection of technology and trust*