





























- [17] H. A. Bourlard, N. Morgan, “*Connectionist Speech Recognition: A Hybrid Approach*”, Kluwer Academic Publishers, Dordrecht, 1993.
- [18] T. Masters, “*Signal and Image Processing with Neural Networks: a C++ Sourcebook*”, Wiley, New York, 1994.
- [19] P. Cortez, M. Rocha, J. Neves, “Evolving time series forecasting arma models”, *Journal of Heuristics*, Vol. 10, No. 4, 2004, pp. 415–429.
- [20] M. Dirst, A. S. Weigend, “*Time Series Prediction: Forecasting the Future and Understanding the Past*”, Addison-Wesley, Reading, MA, 1994.
- [21] Y. Safi and A. Bouroumi, “Prediction of Forest Fires Using Artificial Neural Networks”, *Applied Mathematical Sciences*, Vol. 7, No. 6, 2013, pp. 271 – 286.
- [22] Y. V. Venkatesh, S. K. Raja, “On the classification of multispectral satellite images using the multilayer perceptron”, *Pattern Recognition*, Vol. 36, No. 9, 2003, pp. 2161–2175.
- [23] U. Orhan, M. Hekim, M. Ozer, “EEG signals classification using the K-means clustering and a multilayer perceptron neural network model”, *Expert Systems with Applications*, Vol. 38, No. 10, 2011, pp. 13475-13481.
- [24] S. Damrongrit, P. Theera, W. Wongseree, Touchpong Usavanarong, Nuttawut Paulkhaolarn, Chompunut Kanjanakorn, Monchan Sirikong, Chanin Limwongse, Nachol Chaiyaratana, “Classification of complete blood count and haemoglobin typing data by a C4. 5 decision tree, a naïve Bayes classifier and a multilayer perceptron for thalassaemia screening”, *Biomedical Signal Processing and Control*, Vol. 7, No. 2, 2012, pp. 202-212.
- [25] A. Asuncion and D. J. Newman, UCI Machine Learning Repository, Irvine, CA: University of California, School of Information and Computer Science, (2007). Available: <http://archive.ics.uci.edu/ml/datasets/Forest+Fires>.
- [26] R. Damodar, K. J. Prasanta, “Initialization for K-means clustering using Voronoi diagram”, *Procedia Technology*, Vol. 4, 2012, pp. 395-400.