user, is obtained, without applying a simulation process. Finally, the expression derived provides a simple and analytical tool for initial estimation of antennas number, in a spread spectrum MIMO cellular system under fading operation.

References:

[1] V.Tarokh, N.Seshadri and A.R.Calderbank: “Space-Time codes for high data rate wireless communication: Performance criterion and code construction”, *IEEE Transactions on Information Theory*, vol. 44, no.3, 1998, pp. 744-765.

[2] G.J.Foschini and M.J.Gans: “On limits of wireless communications in a fading environment when using multiple antennas”, *Wireless Personal Communications*, vol. 6, 1998, pp.311-335.

[3] I.E.Telatar: “Capacity of multi-antenna Gaussian channels”, *European Transactions on Telecommunications*, vol. 10 (6), 1999, pp.585-595.

[4] A.Goldsmith, S.A.Jfar, N.Jindaland and S.V.Vishwanath: “Capacity limits of MIMO channels”, *IEEE Journal on Selected Areas on Communications*, vol. 21, no.5, 2003, pp.684-701.

[5] A.Lozano and A.M.Tulino: “Capacity of multiple-transmit multiple receive antenna architectures”, *IEEE Transactions on Information Theory*, vol. 48, no.12, 1998, pp.3117-3127.

[6] I.E.Telatar and D.N.C.Tse: “Capacity and mutual information of wideband multipath fading channels”, *IEEE Transactions on Information Theory*, vol. 46, no.4, 2000, pp.1384-1400.

[7] J.Du and Y.Li: “Optimization of Antenna Configuration for MIMO Systems”, *IEEE Transactions on Commun*ications, vol.53, no.9, 2005, pp.1451-1454.

[8] K.S.Gilhousen, I.M.Jacobs, R.Padovani, A.Viterbi, L.A.Weaver and C.E.Wheatley, “On the capacity of a cellular CDMA system”, *IEEE Transactions on Vehicular Technology*, vol. 40, 1991, pp. 303-312.

[9] M.K.Simon and M.S.Alouini: *Digital Communication over Fading Channels: A Unified Approach to Performance Analysis*, New York: John Wiley, 2000.

[10] R.G.Gallager, *Information Theory and Reliable Communication*, John Wiley & Sons, 1968.

[11] J.G.Proakis, *Digital Communications,* 3rd Edit., McGraw-Hill, 1995.

[12] W.C.Y.Lee, “Estimate of Channel Capacity in Rayleigh Fading Environment”, *IEEE Transactions on Vehicular Technology*, vol. 39, no.3, 1990, pp.187-189.

[13] R.K.Mallik, M.Z.Win, J.W.Shao, M-S.Alouini and A.J.Goldsmith, "Channel capacity of adaptive transmission with maximal ratio combining in correlated Rayleigh fading", *IEEE Transactions on Wireless Commun*ications, vol.3, no.4, 2004, pp. 1124-1133.