













References:

- [1] T. Noguchi and M. Hayakawa, "Black Hole Attack Prevention Method Using Multiple RREPs in Mobile Ad Hoc Networks," in *2018 17th IEEE International Conference On Trust, Security And Privacy In Computing And Communications/12th IEEE International Conference On Big Data Science And Engineering (TrustCom/BigDataSE)*, New York, NY, 2018, pp. 539–544, doi: 10.1109/TrustCom/BigDataSE.2018.00082.
- [2] A. Sharma and S. Jain, "A Behavioral Study of AODV with and without a Blackhole attack in MANET", *International Journal of Modern Engineering Research*, vol. 1, issue. 4, pp. 391-395.
- [3] A. Sardana, T. Bedwal, A. Saini, and R. Tayal, "Black hole attack's effect mobile ad-hoc networks (MANET)," in *2015 International Conference on Advances in Computer Engineering and Applications*, Ghaziabad, India, 2015, pp. 966–970, doi: 10.1109/ICACEA.2015.7164846.
- [4] Shaveta, P. Luthra, and Er. Gagandeep, "Implementation of blackhole attack under aodv routing protocol," in *2017 International Conference on Energy, Communication, Data Analytics and Soft Computing (ICECDS)*, Chennai, 2017, pp. 575–579, doi: 10.1109/ICECDS.2017.8389502.
- [5] S. Sharma and R. Gupta, "Simulation Study of Blackhole Attack In The Mobile Ad Hoc Networks," vol. 4, p. 8, 2009.
- [6] S. Jain and A. Khuteta, "Detecting and overcoming blackhole attack in mobile Adhoc Network," in *2015 International Conference on Green Computing and Internet of Things (ICGCIoT)*, Greater Noida, Delhi, India, 2015, pp. 225–229, doi: 10.1109/ICGCIoT.2015.7380462.
- [7] T. Noguchi and T. Yamamoto, "Black Hole Attack Prevention Method Using Dynamic Threshold in Mobile Ad Hoc Networks," presented at the 2017 Federated Conference on Computer Science and Information Systems, 2017, pp. 797–802, doi: 10.15439/2017F101.
- [8] L. Baghel, P. Mishra, M. Samvatsar, and U. Singh, "Detection of black hole attack in mobile ad hoc network using adaptive approach," in *2017 International conference of Electronics, Communication and Aerospace Technology (ICECA)*, Coimbatore, 2017, pp. 626–630, doi: 10.1109/ICECA.2017.8212741.
- [9] S. Renuka Devi, S. Saraswathi, P. Yogesh, "A Cooperative Multilayer End-Point Approach to Mitigate DDoS Attack", *WSEAS Transactions on Information Science and Applications*, vol 11, 2014, pp.1-11
- [10] T. Delkesh and M. Jabraeil Jamali, "EAODV: detection and removal of multiple black hole attacks through sending forged packets in MANETs," *J. Ambient Intell. Humaniz. Comput.*, pp. 1–18, Mar. 2018, doi: 10.1007/s12652-018-0782-7.
- [11] Y. F. Alem and Z. C. Xuan, "Preventing black hole attack in mobile ad-hoc networks using Anomaly Detection," in *2010 2nd International Conference on Future Computer and Communication*, Wuhan, China, 2010, pp. V3-672-V3-676, doi: 10.1109/ICFCC.2010.5497455.
- [12] C. Perkins, E. Belding-Royer, and S. Das, "Ad hoc On-Demand Distance Vector (AODV) Routing," 2013. [Online]. Available: <https://tools.ietf.org/html/rfc3561>.
- [13] A. M. El-Semary and H. Diab, "BP-AODV: Blackhole Protected AODV Routing Protocol for MANETs Based on Chaotic Map," *IEEE Access*, vol. 7, pp. 95197–95211, 2019, doi: 10.1109/ACCESS.2019.2928804.
- [14] A. Koujalagi, "Considerable Detection of Black Hole Attack and Analyzing its Performance on AODV Routing Protocol in MANET (Mobile Ad Hoc Network)," *Am. J. Comput. Sci. Inf. Technol.*, vol. 06, no. 02, 2018, doi: 10.21767/2349-3917.100025.
- [15] J. Han, M. Kamber, and J. Pei, *Data Mining: Concepts and Techniques*, 3rd ed. Elsevier Inc, 2011.
- [16] T. Issariyakul and E. Hossain, *Introduction to Network Simulator NS2*, 2nd ed. Springer US, 2012.