















- [10] H. Huber, Zur analytischen Theorie hyperbolischer Raumformen und Bewegungsgruppen. II, *Math. Annalen* 142, 1961, pp. 385–398.
- [11] H. Huber, Zur analytischen Theorie hyperbolischer Raumformen und Bewegungsgruppen. II (Nachtrag zu *Math. Annalen* 142, 385–398, 1961), *Math. Annalen* 143, 1961, pp. 463–464.
- [12] A. E. Ingham, *The Distribution of Prime Numbers*, Cambridge Mathematical Library, 1990
- [13] H. P. McKean, Selberg's trace formula as applied to a compact Riemann surface, *Comm. Pure Appl. Math.* 25, 1972, pp. 225–246.
- [14] J. Park, Ruelle zeta function and prime geodesic theorem for hyperbolic manifolds with cusps, in: G. van Dijk, M. Wakayama (eds.), *Casimir force, Casimir operators and Riemann hypothesis*, de Gruyter, Berlin 2010, pp. 89–104.
- [15] B. Randol, On the asymptotic distribution of closed geodesics on compact Riemann surfaces, *Trans. Amer. Math. Soc.* 233, 1977, pp. 241–247.
- [16] A. Selberg, Harmonic analysis and discontinuous groups in weakly symmetric Riemannian spaces with applications to Dirichlet series, *J. Indian Math.* 20, 1956, pp. 47–87.
- [17] C. L. Siegel, *Topics in Complex Function Theory*, Wiley–Interscience, 1971
- [18] J. J. Stoker, *Differential Geometry*, Wiley–Interscience, 1969
- [19] H. Tang, The Generalized Prime Number Theorem for Automorphic L-Functions, *Chin. Ann. Math.* 3, 2009, pp. 251–260.