





















" A Snubber Configuration for Modified Bridge Converter", Electric Power Systems Research (Elsevier), Vol.34, No. 11, 2006, PP. 1177 – 1190.

- [16] M. W. Alzahlan, K.M. Alawasa and H.D. Al-Majali, "Performance Evaluation of Different Optimal-tund Current Controllers for Voltage-Source Converter Connected to a Weak AC Grid", IEEE Jordan International Joint Conference on Electrical Engineering and Information Technology, JEEIT 2019- Proceeding
- [17] S. Al-Dhalaan, H. D. Al-Majali and D. O'Kelly, "HVDC Converter Using Self – Commutated Devices", IEEE Transactions on Power Electronics, Vol. 13, No.6, 1998, PP. 1164 – 1173.
- [18] H. D. Al-Majali and D. O'Kelly, "Control of an HVDC Converter Using GTO Thyristor By-Pass Valves", 26<sup>th</sup> UPEC (, Brighton Polytechnic, U.K, 1991, PP 36-39.
- [19] H. D. Al-Majali and D. O'Kelly, "Control of an HVDC Converter Using By-Pass Valves", 25<sup>th</sup> UPEC, Robert Gordon's Institute of Technology, Aberdeen, U.K, 1990. PP 652-656.
- [20] H. D. Al-Majali and S. Al-Dhalaan, " Control of Series HVDC Bridges with Different Firing Angles" WSEAS Transaction on Power Systems, Vol.14, 2014.PP. 418 -427.
- [21] H. D. Al-Majali and B. H. Al-Majali, "Fast and Continuous Control of a Modified HVDC Converter", WSEAS Transaction on Systems and Control, Vol.14, 2019, PP. 326-332.

**Creative Commons Attribution License 4.0  
(Attribution 4.0 International , CC BY 4.0)**

This article is published under the terms of the Creative Commons Attribution License 4.0

[https://creativecommons.org/licenses/by/4.0/deed.en\\_US](https://creativecommons.org/licenses/by/4.0/deed.en_US)