











- and *Integrated Optics*, Vol. 22, No. 3, 2003, pp. 151-160.
- [10] Bouamami S, Naoum R., New version of seven wavelengths demultiplexer based on the microcavities in a two-dimensional photonic crystal. *Optik*, Vol. 125, No. 23, 7072–7074.
- [11] Talebzadeh, R., Soroosh, M., Kavian, S., Mehdizadeh, F., Eight-channel all-optical demultiplexer based on photonic crystal resonant cavity, *Optik*, Vol. 148, 2017, pp. 331–337.
- [12] Mehdizadeh F., Soroosh M., Alipour-Banaei H., An optical demultiplexer based on photonic crystal ring resonators, *Optik*, Vol. 127, No. 20, 2016, pp. 8706-8709.
- [13] Alipour-Banaei, H., Mehdizadeh, F., Seraj mohammadi, S., A novel 4-channel demultiplexer based on photonic crystal ring resonators. *Optik*, Vol. 124, No. 23, 2013, pp. 5964-5967.
- [14] Massoudi R., Najjar M., Chhipa M. K.N Janyani V., Robinson S., Modeling of Small Size and Low Crosstalk Dense Wavelength Division Multiplexing Demultiplexer Based on Photonic Micro Ring Resonator, *Journal of Nanoelectronics and Optoelectronics*, Vol. 13, No. 6, 2018, pp. 825-830.
- [15] Rakhshani, M. R., Mansouri-Birjandi, M. A., Design and simulation of wavelength demultiplexer based on heterostructure photonic crystals ring resonators, *Physica E: Low-dimensional Systems and Nanostructures*, Vol. 50, 2013, pp. 97-101.
- [16] Labbani, A., Benghalia. A., Design of Photonic Crystal Triplexer with Core-Shell Rod Defects. *Chinese Physic Letter*, Vol. 32, 2015, pp. 054204.
- [17] Rostami, A., Banaei, H. A., Nazari, F., Bahrami, A., An ultra compact photonic crystal wavelength division demultiplexer using resonance cavities in a modified Y-branch structure. *Optik - International Journal for Light and Electron Optics*, Vol. 122, No.16, 2011, pp. 1481–1485.
- [18] Qian, W., Jun, L., Sailing, H., Optimal design method of a low-loss broadband Y branch with a multimode waveguide section, *Applied Optics*, Vol. 41, No. 36, 2002, pp. 7644-7649.
- [19] Li, L., Liu, G. Q., Lu, H. D., A Y-branch demultiplexer based on Kagomé lattice photonic crystals, *Optik-International Journal for Light and Electron Optics*, vol. 124, No 17, 2013, pp. 2913-2915.
- [20] Johnson S.G., Joannopoulos J.D., Block-iterative frequency-domain methods for Maxwell's equations in a plane wave basis, *Optics Express*, Vol.8, No. 3, 2001, pp. 173-190.
- [21] Haus H. A., *Waves and Fields In Optoelectronics*, Prentice- Hall, 1984.
- [22] Taflove A., Hegnese S. C., *Computational Electrodynamics: The Finite-Difference Time-Domain Method, 3rd ed*, Artech House.
- [23] Kannaiyan, V., Savarimuthu, R., Dhamodharan, S. K., Investigation of 2D-photonic crystal resonant cavity based WDM demultiplexer. *Opto-Electronics Review*, Vol. 26, No. 2, 2018, pp. 108–115.
- [24] Talebzadeh, R., Soroosh, M., Kavian, Y.,S., Mehdizadeh, F., All-optical 6- and 8-channel demultiplexers based on photonic crystal multilayer ring resonators in Si/C rods, *Photon Netw Commun*, Vol. 34, No. 2, 2017, pp. 248-257.
- [25] Naghizade, S., Sattari-Esfahlan, S. M., An Optical Five Channel Demultiplexer-Based Simple Photonic Crystal Ring Resonator for WDM Applications, *Journal of Optical Communications*, Vol. 41, No. 1, 2018, pp. 37-43.
- [26] Mohammadi, M., Seifouri, M., A new proposal for a high-performance 4-channel demultiplexer based on 2D photonic crystal using three cascaded ring resonators for applications in advanced optical systems. *Optical and Quantum Electronics*, Vol. 51, No. 11, 2019, pp.1-15.
- [27] Fallahi, V., Mohammadi, M., Seifouri, M., Design of Two 8-Channel Optical Demultiplexers Using 2D Photonic Crystal Homogeneous Ring Resonators, *Fiber and Integrated Optics*, Vol. 38, No. 5, 2019, pp. 271-284..