

- [27] G. Ladas, On the rational recursive sequence $x_{n+1} = (\alpha + \beta x_n + \gamma x_{n-1}) / (A + Bx_n + Cx_{n-1})$, *J. Difference Equations and Appl.*, 1(1995), pp.317- 321.
- [28] W. T. Li and H. R. Sun, Global attractivity in a rational recursive sequence, *Dynamical Systems. Appl.*, 11 (2002), pp.339 - 346.
- [29] R. E. Mickens, *Difference equations, Theory and Applications*, Van Nostrand, New York, 1990.
- [30] M. Saleh and S. Abu-Baha, Dynamics of a higher order rational difference equation, *Appl. Math. Comput.*, 181(2006), pp.84-102.
- [31] S. Stevic', On the recursive sequences $x_{n+1} = x_{n-1}/g(x_n)$, *Taiwanese J. Math.*, 6(2002), pp.405-414.
- [32] S. Stevic', On the recursive sequences $x_{n+1} = g(x_n, x_{n-1}) / (A + x_n)$, *Appl. Math. Letter*, 15(2002), pp.305-308.
- [33] S. Stevic', On the recursive sequences $x_{n+1} = \alpha + (x_{n-1}^p / x_n^p)$, *J. Appl. Math. & Computing*, 18(2005), pp.229-234.
- [34] E. M. E. Zayed and M. A. El-Moneam, On the rational recursive sequence $x_{n+1} = (D + \alpha x_n + \beta x_{n-1} + \gamma x_{n-2}) / (Ax_n + Bx_{n-1} + Cx_{n-2})$, *Comm. Appl. Nonlinear Analysis*, 12(2005), pp.15-28.
- [35] E. M. E. Zayed and M. A. El-Moneam, On the rational recursive sequence $x_{n+1} = (\alpha x_n + \beta x_{n-1} + \gamma x_{n-2} + \delta x_{n-3}) / (Ax_n + Bx_{n-1} + Cx_{n-2} + Dx_{n-3})$, *J. Appl. Math. & Computing*, 22(2006), pp.247-262.
- [36] E. M. E. Zayed and M. A. El-Moneam, On the rational recursive sequence $x_{n+1} = (A + \sum_{i=0}^k \alpha_i x_{n-i}) / \sum_{i=0}^k \beta_i x_{n-i}$, *Mathematica Bohemica*, 133, No.(3),(2008), pp.225-239.
- [37] E. M. E. Zayed and M. A. El-Moneam, On the rational recursive sequence $x_{n+1} = (A + \sum_{i=0}^k \alpha_i x_{n-i}) / (B + \sum_{i=0}^k \beta_i x_{n-i})$, *Int. J. Math. & Math. Sci.*, Volume 2007, Article ID 23618, 12 pages, doi: 10.1155/2007/23618.
- [38] E. M. E. Zayed and M. A. El-Moneam, On the rational recursive sequence $x_{n+1} = ax_n - bx_n / (cx_n - dx_{n-k})$, *Comm. Appl. Nonlinear Analysis*, 15(2008), pp.47-57.
- [39] E. M. E. Zayed and M. A. El-Moneam, On the Rational Recursive Sequence $x_{n+1} = (\alpha + \beta x_{n-k}) / (\gamma - x_n)$, *J. Appl. Math. & Computing*, 31, No.(1-2),(2009), pp.229-237.
- [40] E. M. E. Zayed and M. A. El-Moneam, On the rational recursive sequence $x_{n+1} = Ax_n + (\beta x_n + \gamma x_{n-k}) / (Cx_n + Dx_{n-k})$, *Comm. Appl. Nonlinear Analysis*, 16(2009), pp.91-106.
- [41] E. M. E. Zayed and M. A. El-Moneam, On the Rational Recursive Sequence $x_{n+1} = \gamma x_{n-k} + (ax_n + bx_{n-k}) / (cx_n - dx_{n-k})$, *Bulletin of the Iranian Mathematical Society*, 36, No.1(2010), pp.103-115.
- [42] E. M. E. Zayed and M. A. El-Moneam, On the global attractivity of two nonlinear difference equations, *J. Math. Sci.*, 177, No.3 (2011), pp.487-499.
- [43] E. M. E. Zayed and M. A. El-Moneam, On the Rational Recursive two Sequences $x_{n+1} = ax_{n-k} + bx_{n-k} / (cx_n + \delta dx_{n-k})$, *Acta Math. Vietnamica*, 35(2010), pp.355-369.
- [44] E. M. E. Zayed and M. A. El-Moneam, On the rational recursive sequence $x_{n+1} = Ax_n + Bx_{n-k} + (\beta x_n + \gamma x_{n-k}) / (Cx_n + Dx_{n-k})$, *Acta Appl. Math.*, 111(2010), pp.287-301.
- [45] E. M. E. Zayed and M. A. El-Moneam, On the rational recursive sequence $x_{n+1} = (\alpha_0 x_n + \alpha_1 x_{n-l} + \alpha_2 x_{n-k}) / (\beta_0 x_n + \beta_1 x_{n-l} + \beta_2 x_{n-k})$, *Mathematica Bohemica*, 135(2010), pp.319-336.
- [46] E. M. E. Zayed and M. A. El-Moneam, On the rational recursive sequence $x_{n+1} = (A + \alpha_0 x_n + \alpha_1 x_{n-\sigma}) / (B + \beta_0 x_n + \beta_1 x_{n-\tau})$, *Acta Math. Vietnamica*, 36(2011), pp.73-87.