[6] A. Croitoru, A. Gavriluţ,N.E. Mastorakis, G. Gavriluţ, On different types of non-additive set multifunctions, *WSEAS Trans. Math.*, Vol.8, (2009), pp. 246-257.

[7] L. Drewnowski, Topological rings of sets, continuous set functions, Integration, I, II, III, *Bull. Acad. Polon. Sci. Sér. Math. Astron. Phys.*, Vol. 20, (1972), pp. 269-276, pp. 277-286.

[8] L. Drewnowski,T. Luczak, On nonatomic submeasures on $\mathbb{N}$, *Arch. Math.*, vol. 91, (2008), pp. 76-85.

[9] L. Drewnowski, T. Luczak, On nonatomic submeasures on $\mathbb{N}$ II, *J. Math. Anal. Appl.*, vol.347, (2008), no 2, pp. 442-449.

[10] N. J. Fernández, – *Are diffused, Radon measures nonatomic?*, Papers in honor Pablo Bobillo Guerrero (Spanish), 261-265, Univ. Granada, 1992.

[11] R. J. Gardner, W. F. Pfeffer, Are diffused, regular, Radon measures σ-finite?, *J. London Math. Soc.*, vol.20, (1979), pp. 485-494.

[12] A. Gavriluţ, A Gould type integral with respect to a multisubmeasure, *Math. Slovaca*, vol.58, (2008), No. 1, pp. 1-20.

[13] A. Gavriluţ, On some properties of the Gould type integral with respect to a multisubmeasure, *An. Şt. Univ. Iaşi*, vol. 52, (2006), no 1, pp. 177-194.

[14] A. Gavriluţ, The general Gould type integral with respect to a multisubmeasure, *Math. Slovaca*, vol.60, (2010), No. 3, pp. 289-318.

[15] A. Gavriluţ, Non-atomicity and the Darboux property for fuzzy and non-fuzzy Borel/Baire multivalued set functions, *Fuzzy Sets and Systems*, vol.160, (2009), pp. 1308-1317.

[16] A. Gavriluţ, A. Croitoru, Non-atomicity for fuzzy and non-fuzzy multivalued set functions, *Fuzzy Sets and Systems*, vol.160, (2009), pp. 2106-2116.

[17] A. Gavriluţ, A. Petcu, A Gould type integral with respect to a submeasure, *An. Şt. Univ. Iaşi*, Tomul LIII, 2007, f. 2, pp. 351-368.

[18] A. Gavriluţ, A. Croitoru, N. E. Mastorakis, G. Gavriluţ, Measurability and Gould integrability in finitely purely atomic multisubmeasure spaces, *WSEAS Trans. Math.*, Vol.8, (2009), pp. 435-444.

[19] A. Gavriluţ, A. Croitoru, N. E. Mastorakis, Diffusion and semi-convexity of fuzzy set multifunctions, *WSEAS Trans. Math.*, vol.9, (2010), pp. 561-570.

[20] G. G. Gould, On integration of vector-valued measures, *Proc. London Math. Soc.*, vol.15, (1965), pp. 193-225.

[21] P. Holický, C. E. Weil, L. Zajiček, A note on the Darboux property of Fréchet derivatives, *Real Anal. Exchange*, vol.32, (2007), pp. 489-494.

[22] S. Hu, N.S. Papageorgiou, *Handbook of Multivalued Analysis*, vol. I, Kluwer Acad. Publ., Dordrecht, 1997.

[23] J. Li, Order continuous of monotone set function and convergence of measureable functions sequence, *Applied Mathematics and Computation*, vol.135, (2003), pp. 211-218.

[24] J. Li, A note on the null-additivity of the fuzzy measure, *Fuzzy Sets and Systems*, vol.125, (2002), pp. 269-271.

[25] N.E. Mastorakis, A. Gavriluţ, A. Croitoru, G. Apreutesei, On Darboux property for fuzzy multimeasures, *Proceedings of the 10th WSEAS International Conference on Fuzzy Systems [FS'09]*, Prague, Czech Republic, March 23-25, 2009, pp. 54-58.

[26] E. Pap, - *Null-additive Set Functions*, Kluwer Academic Publishers, Dordrecht-Boston-London, 1995.

[27] A. Petruşel, G. Moţ, – *Multivalued Analysis and Mathematical Economics,* House of the Book of Science, Cluj Napoca, 2004.

[28] A. Precupanu, A. Croitoru, A Gould type integral with respect to a multimeasure, I, *An. Şt. Univ. Iaşi*, vol.48, (2002), pp. 165-200.

[29] A. Precupanu, A. Gavriluţ, A. Croitoru, A fuzzy Gould type integral, *Fuzzy Sets and Systems*, vol.161, (2010), pp. 661-680.

[30] A. Precupanu, A. Gavriluţ, A. Croitoru, On a generalized Gould type set valued integral, submitted for publication.