



















- [5] R. J. Duffin, The Rayleigh-Ritz method for dissipative or gyroscopic systems, *Quart. Appl. Math.*, 18, (1960), pp. 215–221.
- [6] H. Fassbender, *Symplectic methods for the symplectic eigenproblem*, Kluwer Academic/Plenum Publishers, New York, 2000.
- [7] P. Lancaster, *Lambda-Matrices and Vibrating Systems*, Pergamon Press, Oxford, UK. (1966).
- [8] N. E. Mastorakis, *Positive singular Value Decomposition*, Recent Advances in Signal Processing and Communication (dedicated to the father of Fuzzy Logic, L. Zadeh), WSEAS-Press, (1999), pp. 7–17.
- [9] N. E. Mastorakis, The singular Value Decomposition (SVD) in Tensors (Multidimensional Arrays) as an Optimization Problem. Solution via Genetic Algorithms and method of Nelder-Mead, *Proceeding of the 6th WSEAS Int. Conf. on System Theory & Scientific Computation*, Elounda, Greece, August 21-23, (2006), pp. 7–13.
- [10] V. Mehrmann, *The Autonomous Linear Quadratic Control Problem, Theory and Numerical Solution*, Number 163 in Lecture Notes in Control and Information Sciences. Springer-Verlag, Heidelberg, July 1991.
- [11] F. Tisseur and K. Meerbergen, The quadratic eigenvalue problem, *SIAM Review*, 43, (2001), pp. 235–286.
- [12] H. Xu, An SVD-like matrix decomposition and its applications, *Linear Algebra and its Applications*, 368, (2003), pp. 1–24.
- [13] H. Xu, Numerical Method For Computing An SVD-like matrix decomposition, *SIAM Journal on matrix analysis and applications*, 26, (2005), pp. 1058–1082.
- [14] C. Van Loan, A Symplectic method for approximating all the eigenvalues of Hamiltonian matrix, *Linear Alg. Appl.*, 61, (1984), pp. 233–251.