



















- [26] S. Lucidi and V. Piccialli, New classes of globally convexized filled functions for global optimization, *Journal of Global Optimization*. 24, 2002, pp. 219–236.
- [27] K. Miettinen, M.M. Makela, *Iterative method NIMBUS for nondifferentiable multiobjective optimization problem*, In: Climaco J(ed) Multi-criteria analysis. Springer, Berlin, pp. 310–319.
- [28] K. Miettinen, IND-NIMBUS for demanding interactive multiobjective optimization, In: *Trzaskalik T(ed) Multiple Criteria Decision Making-05*. The Karol Adamiecki University of Economics in Katowice, Katowice, pp. 137–150.
- [29] S.C. Narula, H.R. Weistroffer, A flexible method for nonlinear multicriteria decisionmaking problems, *IEEE Transactions on Systems, man, and Cybernetics*, 19, 1989, pp. 883–887.
- [30] D. Prabuddha, J.b. Gosh, and C.E. Wells, On the minimization of completion time variance with a bicriteria extension, *Operations Research*. 40, 1992, pp. 1148–1155.
- [31] S. Ruzika, M. Wiecek, Survey paper: Approximation methods in multiobjective programming, *Journal of Optimization Theory and Application*. 126, 2005, pp. 473–501.
- [32] S. Shan and G.G. Wang, An efficient pareto set identification approach for multiobjective optimization on black-box functions, *Journal of Mechanical Design*. 127, 2005, pp. 866–874.
- [33] W. Stadler, *Multicriteria Optimization in Engineering and in the Sciences*, Plenum Press, New York, 1988.
- [34] W. Tavana, A subjective assessment of alternative mission architectures for the human exploration of Mars at NASA using multicriteria decision making, *Computers and Operations Research*. 31, 2004, pp. 1147–1164.
- [35] Z. Wan, L.Y. Yuan, J.W. Chen, A filled function method for nonlinear systems of equalities and inequalities, *Computational & Applied Mathematics*. 2012, to appear.
- [36] D.J. White, Epsilon-dominating solutions in meanvariance portfolio analysis, *European Journal of Operational Research* 105, 1998, pp. 457–466.
- [37] Z.Y. Wu, M. Mammadov, F.S. Bai, Y.J. Yang, A filled function method for nonlinear equations, *Applied Mathematics and Computation*. 189, 2007, pp. 1196–1204.
- [38] Z. Xu, H. Huang, P. Pardalos and C. Xu, Filled functions for unconstrained global optimization, *Journal of Global Optimization*. 20, 2001, pp. 49–65.
- [39] Y. Yao, Dynamic tunneling algorithm for global optimization, *IEEE Transactions on Systems, Man and Cybernetics*. 19, 1989, pp. 1222–1230.
- [40] L.Y. Yuan, Z. Wan, J.J. Zhang, B. Sun, A filled function method for solving nonlinear complementarity problems, *Journal of Industrial and Management Optimization*. 5, 2009, pp. 911–928.
- [41] A. Zhou, B.Y. Qu, H. Li, S.Z. Zhao, P.M. Suganthan, Q.F. Zhang, Multiobjective evolutionary algorithms: A survey of the state of the art, *Swarm and Evolutionary Computation*. 1, 2011, pp. 32–49.
- [42] E. Zitzler, K. Deb, L. Thiele, Comparison of Multiobjective Evolutionary Algorithms: Empirical Results, *Evolutionary Computation*. 8, 2000, pp. 173–195.