























Reluctance Machine for Wind Energy Applications," *Electric Power Components and Systems*, vol. 34, No. 10, 2006, pp. 1139-1156.

- [10] M. Mueller, "Design and performance of a 20 kW, 100 rpm, switched reluctance generator for a direct drive wind energy converter," in *IEEE International Conference on Electric Machines and Drives*, San Antonio Tx, 2005, pp. 56-63.
- [11] M. Mueller, "Design of low speed switched reluctance machines for wind energy converters," in *Ninth International Conference on Electrical Machines and Drives*, Canterbury, UK, 2002, pp. 60-64.
- [12] I. Kioskeridis and C. Mademlis, "Optimal efficiency control of switched reluctance generators," *IEEE Transactions on Power Electronics*, vol. 21, No. 4, 2006, pp. 1062-1072.
- [13] Y. Sozer and D. A. Torrey, "Closed loop control of excitation parameters for high speed switched-reluctance generators," *IEEE Transactions on Power Electronics*, vol. 19, No. 2, 2004, pp. 355-362.
- [14] P. Asadi, M. Ehsani, and B. Fahimi, "Design and control characterization of switched reluctance generator for maximum output power," in *Twenty-First Annual IEEE Applied Power Electronics Conference and Exposition* Dallas Texas, 2006, pp. 1639-1644.
- [15] I. Kioskeridis and C. Mademlis, "Maximum efficiency in single-pulse controlled switched reluctance motor drives," *IEEE Transactions on Energy Conversion*, vol. 20, No. 4, 2005, pp. 809-817.
- [16] A. Fleury, D. A. de Andrade, F. dos Santos e Silva, and J. L. Domingos, "Switched Reluctance Generator for complementary Wind Power Generation in Grid Connection," in *IEEE International Electric Machines & Drives Conference*, Antalya, 2007, pp. 465-470.
- [17] A. Takahashi, H. Goto, K. Nakamura, T. Watanabe, and O. Ichinokura, "Characteristics of 8/6 Switched Reluctance Generator Excited by Suppression Resistor Converter," *IEEE Transactions on Magnetics*, vol. 42, No. 10, 2006, pp. 3458-3460.
- [18] M. N. AbdulKadir and A. H. M. Yatim, "Maximum efficiency operation of switched reluctance motor by controlling switching angles," in *International Conference on Power Electronics and Drive Systems*, 1997, pp. 199-204.
- [19] H. Le-Huy and M. Chakir, "Optimizing the performance of a switched reluctance generator by simulation," in *XIX International Conference on Electrical Machines (ICEM)*, Rome, Italy, 2010, pp. 1-6.
- [20] Y. Hayashi and T. J. E. Miller, "A new approach to calculating core losses in the SRM," *IEEE Transactions on Industry Applications*, vol. 31, No. 5, 1995, pp. 1039-1046.
- [21] A. Arifin, I. Al-Bahadly, and S. C. Mukhopadhyay, "Analysis of a 12/16 switched reluctance machine using combined circuit and field computation," in *5th International Power Engineering and Optimization Conference (PEOCO)*, Shah Alam, Malaysia, 2011, pp. 170-175.