

- [16] M. Grochowski and W. Duch, Constructive neural network algorithms that solve highly non-separable problems, Springer-Verlag Berlin Heidelberg, SCI 258, pp. 49-70, 2009.
- [17] M. G. Park, J. H. Jeon and M. C. Lee, obstacle avoidance for mobile robots using artificial potential field approach with simulated annealing, IEEE international symposium on industrial electronics, vol. 3, pp. 1530-1535, 2001.
- [18] M. Kubalcik, V. Bobal, Self-tuning of continuous-time systems, WSEAS TRANSACTION on SYSTEMS and CONTROL, Vol. 5, pp. 802-813, Oct. 2010.
- [19] M. R. Jafari, al., On-line identification of non-linear systems using an adaptive RBF-based neural network, Proceeding of WCECS, 58-3, October 2007, San Francisco, USA.
- [20] N. B. Karayiannis and G. W. Mi, Growing radial basis neural networks: Merging supervised and unsupervised learning with network growth techniques, IEEE Trans. Neural Netw., vol. 8, no. 6, pp- 1492-1506, Nov, 1997.
- [21] Neri. F. (2012), Learning and predicting financial series by combining evolutionary computation and agent simulation, Transactions on computational collective intelligence, Vol. 6, Springer, Heidelberg, Vol. 7, pp. 202-221
- [22] P. Y. Ahang, T. S. Lü and L. B. Song, Soccer robot path planning based on the artificial potential field approach with simulated annealing, Robotica, vol. 22, pp. 563-566, 2004.
- [23] P. Vadakkepat, T. H. Lee, L. Xin, Application of evolutionary artificial potential field in robot soccer system, IFSA World Congress and 20th NAFIPS int. Conf. vol. 5, pp. 2781-2785, Vancouver, BC, Canada juil. 2001
- [24] S. Lee and R. M. Kil, A gaussian potential function network with hierarchically self-organizing learning, Neural Netw., vol. 4, no. 2, pp. 207-224, 1996.
- [25] S. S. Ge and Y. J. Cui, New potential functions for mobile robot path planning, IEEE Transactions on Robotics and automation, vol. 16, No. 5, pp. 615-620, October 2000.
- [26] S. S. Ge and Y. J. Cui, New potential functions for mobile robot path planning, IEEE Trans. On Robot. And Auto., vo. 16, No. 5, Octob. 2000.
- [27] S. S. Baboo, P. Subashini, M. Krishnaveni, Combining self-organizing maps and radial basis function networks for tamil handwritten character recognition, ICGST International Journal on Graphics, vision and image processing, Vol. 9, pp. 1-7, 2009.