



















- [21] Muntean, M., Neri, F. "Foreword to the special issue on collaborative systems", *WSEAS Transactions on Systems*, 11 (11), 2012, pp. 617.
- [22] Pekař, L., Neri, F. "An introduction to the special issue on time delay systems: Modelling, identification, stability, control and applications", *WSEAS Transactions on Systems*, 11 (10), 2012, pp. 539-540.
- [23] Volos, C., Neri, F. "An introduction to the special issue: Recent advances in defense systems: Applications, methodology, technology", *WSEAS Transactions on Systems*, 11 (9), 2012, pp. 477-478.
- [24] Shariatinasab, R., Akbari, M., Rahman, B. "Application of Wavelet Analysis in Power Systems", *Advances in Wavelet Theory and Their Applications in Engineering, Physics and Technology*, 2012, pp.221-244.
- [25] Yu Chen "Harmonic Detection in Electric Power System Based on Wavelet Multi-resolution Analysis", *International Conference on Computer Science and Software Engineering*, 2008, pp. 1204- 1207.
- [26] Morsi, W. G., El-Hawary, M.E. "Reformulating Three-Phase Power Components Definitions Contained in the IEEE Standard 1459–2000 Using Discrete Wavelet Transform", *IEEE Transactions on Power Delivery*, 2011, pp. 1-6.
- [27] Nicolae, I.D., Nicolae, P.M. "Using Discrete Wavelet Transform to Evaluate Power Quality at Highly Distorted Three-Phase Systems", *11<sup>th</sup> International Conference on Electrical Power Quality and Utilisation*, vol. 22, no. 3, 2007, pp. 1917-1925.
- [28] Rață, G., Rață, M., Filote, C., Strugaru, C. "Theoretical and experimental aspects concerning Fourier and wavelet analysis for deforming consumers in power network", *Electronics and Electrical Engineering Journal*, no. 1 (97), 2010, pp. 62-66.
- [29] Pletea, M., Buzatu, N.R., Serediuc, A., Nedelcu C., Pletea, I.V. "Variants of Rectifiers with Near Sinusoidal Input Currents", *10<sup>th</sup> International Symposium on Signals, Circuits and Systems*, June 2011, pp. 1-4.
- [30] Filote, C., Ciufudean, C., Cozgarea, A.M. "An analysis of Rectifier with Near Sinusoidal Input Current", *International Conference on Clean Electrical Power*, July 2009, pp. 580 – 584.
- [31] Alexa, D., Sîrbu, A., Pletea, I.V., Goras T.C., "Hybrid Rectifier With Near-Sinusoidal Input Currents", *IEEE Transactions on Industrial Electronics*, vol. 59, no. 7, July 2012, pp. 2947 - 2958.
- [32] Filote, C., Ciufudean, C., Cozgarea, A.M. "A Comparative Analysis of Total Harmonic Distortion in TPRD and RNSIC", *13<sup>th</sup> European Conference on Power Electronics and Applications*, Sept. 2009, pp. 1-8.
- [33] Alexa, D., Goras, T.C., Sarbu, A., Pletea, I.V., Filote, C., Ionescu, F. "Analysis of the Two-Quadrant Converter with Rectifier with Near Sinusoidal Input Currents", *IET Power Electronics*, vol. 1, no. 2, June 2008, pp. 224 - 234.
- [34] Filote, C., Ciufudean, C., Alaci, S., Cozgarea, A.M. "Harmonic Elimination and Power Factor Improvement of Three-Phase Rectifier using RNSIC Variant", *International Conference on Clean Electrical Power (ICCEP)*, June 2011, pp. 40-45.
- [35] Alexa, D., Goras, T.C., Pletea, I.V., Buzatu, R., Moisa, M., Chiper, R. "Analysis of the Two-Quadrant Converter having Rectifier with Near Sinusoidal Input Currents and Capacitors Connected on the AC Side", *International Symposium on Signals, Circuits and Systems (ISSCS)*, July 2009, pp: 1-4.
- [36] Alexa, D., Sarbu, A., Pletea, I.V., Filote, C., Chiper, R. "Variants of Rectifiers with Near Sinusoidal Input Currents - a Comparative Analysis with the Conventional Diode Rectifier", *IET - Power Electronics*, July 2011, pp: 632 – 641.
- [37] Filote, C., Ciufudean, C., Alaci, S., Cozgarea, A.M. "Wavelet Multi-resolution Analysis of TPRD and RNSIC Input Current", *11<sup>th</sup> WSEAS International Conference on signal processing, computational geometry and artificial vision*, Aug. 2011, pp: 158-165.
- [38] Pletea, M., Pletea, I.V., Alexa, D., Cepareanu, D.D., Petrichei, A., Serediuc A. "An Analysis and Simulations of the Two – Quadrant Converter with RNSIC", *6<sup>th</sup> International Conference on Sciences of Electronics, Technologies of Information and Telecommunications (SETIT)*, March 2012, pp: 199-202.
- [39] Morsi, W. G., El-Hawary, M.E. "The Most Suitable Mother Wavelet for Steady-State Power System Distorted Waveforms", *Conference on Electrical and Computer Engineering*, 2008, pp. 17-22.